	Application No.	Applicant(s)
Notice of Allowability	10/691,108	BREITSCHWERDT ET AL.
	Examiner	Art Unit
	Lan Vinh	1765
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>The response filed on 7/23/2007</u> .		
2. The allowed claim(s) is/are <u>4 and 5</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
· .		
Attachment(s)	E - Nation of the form 1.5	lakank Anulianti -
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	<ul><li>5. ☐ Notice of Informal P</li><li>6. ☐ Interview Summary</li></ul>	• •
	e. ☐ Interview Summary Paper No./Mail Dat 7. ☐ Examiner's Amendr	(P10-413), Se
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. L Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9.	
		Lan Vinh AU 1765

**Art Unit: 1765** 

## Allowable Subject Matter

## 1. Claims 4-5 allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claims 4-5, the applicants have presented persuasive arguments, see pages 3-4 of the response filed on 7/23/2007 that the cited reference of Hanawa fails to disclose or suggest that the etching gas is predominantly present in the first zone of the reaction region and passivating gas is predominantly present in the second zone of the reaction region, that plasma is generated in the reaction region and produces reactive etching gas species and reactive passivating gas species in the reaction region, that etching species and passivating species are generated at least largely independently of one another, and that the reactive etching gas and passivating gas species are mixed in a mixing region downstream from the reaction region before acting upon the substrate because the apparatus of Hanawa et al. also includes a bias plasma system 30 which. in contrast to the statement on page 3, lines 7 to 11 of the Office Action, does not generate a plasma but rather creates a potential difference at a substrate support member 74 to cause the plasma to move electrodynamically in a direction normal to the substrate 32 (see paragraph [00281), thus, in the apparatus of Hanawa, plasma is only generated in plasma source chamber 100. Therefore, the rejections of claims 4 and 5 under 35 U.S.C. § 102(e) as anticipated by Hanawa (U.S. Patent Application Publication No. 2002/0108713) have been withdrawn

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/691,108

**Art Unit: 1765** 

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Page 3

Statement of Reasons for Allowance."

Conclusion

2. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Lan Vinh whose telephone number is 571 272 1471.

The examiner can normally be reached on M-F 8:30-5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Nadine Norton can be reached on 571 272 1465. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

LV

August 16, 2007